

Frequently Asked Questions

Question

Trixbox FOP A @ 0 A H 8 @ 5 == K < 8 ? 0 @ 0 < 5 B @ 0 < 8 1 >; L H 5 4 0 M : A B 5 = > 2

Answer

```

A B 0 = 4 0 @ B = > 9 ? > A B 0 2 : 5 Trixbox 2 A 5 3 4 0 H ; 0 D ; 5 H ? 0 = 5 ; L A
> 3 @ 0 = 8 G 5 == K < : >; 8 G 5 A B 2 > < 2 K 2 > 4 8 < K E M : A B 5 = H 5 = > 2 8
B @ 0 = : > 2. @ > A B > B 0 : 8 7 < 5 = 8 B L M B > ? >; > 6 5 = 8 5 2 5 1 5 9
? @ 0 : B 8 G 5 A : 8 = 5 2 > 7 < > 6 = >. 8 6 5 ? @ 8 2 > 4 8 B A O A ? > A > 1
@ 0 A H 8 @ 8 B L ? 0 = 5 ; L 4 > 6 8 M : A B 5 = > 2 8 3 9 B @ 0 = : > 2 ( ? > 6 5 @ B 2 > 2 0 2
? 0 @ : > 2 : 0 < 8 8 : > = D 5 @ 5 = F 8 O < 8 ) 8 > ? 8 A 0 = > : 0 : A 0 < > < C
? > ? @ > 1 > 2 0 B L A 4 5 ; 0 B L = 5 > 1 E > 4 8 < K 5 8 7 < 5 = 5 = 8 O A
4 @ C 3 8 < 8 ? 0 @ 0 < 5 B @ 0 < 8.
5 = O B L = 0 4 > 2 A 5 3 > 2 D 0 9 ; 0 , 1 - op_style.cfg 2 : 0 B 0 ; > 3 5 panel 2 5 1 A 0 9 B 0
B @ 8 : A 0 2 - D 0 9 ; ? 0 @ 0 < 5 B @ > 2 A 0 < > 9 $ /var/lib/asterisk/bin/retrieve_op_conf_from_mysql.pl
( 2 5 @ A 8 8 FreePBX 4 ; O FreeBSD M B > B D 0 9 ; ; 5 6 8 B 2 4 @ C 3 > < < 5 A B 5 ).
? 5 @ 2 > < D 0 9 ; 5 7 0 4 0 N B A O @ 0 7 < 5 @ K : = > ? > ; , D > = B > 2 , 8 : > = > : .
3 > O : 0 A 0 B L A O = 5 1 C 4 C , B 0 < 2 A 5 ? > = O B = >. > 2 B > @ > < - : 0 :
3 4 5 8 G B > @ 8 A > 2 0 B L . - B > 1 >; 5 5 A ; > 6 = > ... $ 0 9 ; retrieve A > A B > 8 B 8 7
: > = D 8 3 G 0 A B 8 8 8 A ? >; = O 5 < > 9. 0 = 8 < 0 5 < A O ? 5 @ 2 > 9.
A O : 0 @ B 8 = : 0 D > ? @ 0 7 1 8 B 0 = 0 2 B 8 ? 0 A > A B 0 2 ; O N I 8 E : ? 8 : A 5 ; 8 8
: = > ? : 8. - B 8 2 ? 0 @ 0 < 5 B @ 0 2 7 0 8 < > A 2 O 7 0 = K 8 7 0 2 8 A O B 4 @ C 3 > B
4 @ C 3 0. ? >; O 2 K G 8 A ; O N B A O ? > : = > ? : 0 < : 0 : ? > : 8 @ ? 8 G 8 : 0 < , 0
@ 5 0 ; L = K 5 7 = 0 G 5 = 8 O 2 K G 8 A ; O N B A O 8 7 @ 0 7 < 5 @ > 2 : = > ? > : +
? >; O < 5 6 4 C = 8 < 8. = > ? : 0 7 0 4 0 = 0 2 ? 0 @ 0 < 5 B @ 5:
&#036;buttonsizeX = 180; # 1+244+1 from information in op_style.cfg
&#036;buttonsizeY = 24; # 1+26+1 from information in op_style.cfg
(> 1 @ 0 B 8 B 5 2 = 8 < 0 = 8 5 , 7 = 0 G 5 = 8 O B 0 : 8 5 6 5 : 0 : 8 2 op_style.cfg)

```

```

@ O < > C 3 >; L = 8 : 8 , 8 7 : > B > @ K E A > A B > 8 B $ , > ? 8 A K 2 0 N B A O
C 6 5 2 : = > ? : 0 E.

```

```
# structure is - Legend, startpos, stoppos, color1, color2
```

```
#@rectangle1 = ("Trunks", 82, 115, "10ff10", "009900");
```

```
*****
```

```

" C B : 0 : 1 K ? 8 : A 5 ; O < 8 ? >; O O 2 ; O N B A O C 6 5 : = > ? : 8 , 0
@ 5 0 ; L = K 9 ? 8 : A 5 ; O 6 2 K G 8 A ; O 5 B A O A 0 < 8 < A : @ 8 ? B > <
? > A @ 5 4 A B 2 > < 0 @ 8 D < 5 B 8 G 5 A : 8 E > ? 5 @ 0 F 8 9 A @ 0 7 < 5 @ 0 < 8
: = > ? > : 8 8 E : >; 8 G 5 A B 2 > < ? @ 8 8 7 2 5 A B = > 7 0 4 0 = = K E
? 8 : A 5 ; O E : 0 6 4 > 9 : = > ? : 8.
" @ 5 B 8 9 2 0 6 = K 9 ? 0 @ 0 < 5 B @ - A : >; L : > : = > ? > : 2 4 ; 8 = C,
A : >; L : > 2 H 8 @ 8 = C. 0 4 0 = 8 5 ? >; O. - B >:
&#036;numbuttonsx = 5;
&#036;numbuttonsy = 23;

```

```
!;54C5B>B<5B8BLGB>@07<5@K$=51573@0=8G=K.=0
8<55B:0:85-B>D878G5A:85?@545;K87040BL1>;LH5G5<B>
GB>2KH51578A:065=8O:0@B8=K<=5?@8B0:8E@07<5@0E
:=>?>: ?@>AB>=5C40;>AL!C4O?>2A5<C5ABL
?@545;L=>5:>;8G5AB2>?8:A5;592H8@8=C84;8=C4;O
2A59:0@B8=:8?0=5;88?>?KB:87040BL1>;LH55
:>;8G5AB2>:=>?>: ?@>AB>8A:0605B:0@B8=:C,:0:1K
A428305B:C18:8?5@5:0H820O8E.>AB8305BAOMB>B>;L:>
M:A?5@8<5=B0;L=K<?CB5<...0A0<><45;5A:@8?B<>65B8
=5A0<2KG8A;OBL?0@0<5B@K,4;OMB>3>=04>
70:><<5=B8@>20BL2>BMB>:
```

#automated generation of style-info

$extenpos=styleinfo("Extensions");

8 @ 0 A : > < < 5 = B 8 @ > 2 0 B L 2 > B M B > :

STYLE INFO

$extenpos="2-210";

```
=>B>340?@>F5AAAB0=>28BAO5I5<5=55C?@02;O5<K<8
?@8E>48BAO?@028BL8@5:B0=3;K8?0@0<5B@K?>;59."0:
GB>>AB0=02;8205<AO=002B>2KG8A;5=88.MB><A;CG05
?@>AB>?@028<?0@0<5B@K@5:B0=3;>2."0:8<>1@07><4;O
>?8A0==KE2A0<><=0G0;5?0@0<5B@>2$=04>GB>1K
1K;>:
```

#@rectangle1 = ("Trunks", 82, 115, "10ff10", "009900");

@rectangle1 = ("Trunks", 74, 115, "10ff10", "009900");

@rectangle2 = ("Extensions", 1, 69, "1010ff", "099cccc");

#@rectangle3 = ("Parking lots", 78, 104, "ffff10", "cc9933");

#@rectangle4 = ("Conferences", 74, 100, "006666", "a01000");

#@rectangle5 = ("Queues", 70, 96, "ff1010", "a01000");

@rectangle3 = ("Queues", 70, 96, "ff1010", "a01000");

@rectangles = (\@rectangle1,\@rectangle2,\@rectangle3);

#automated generation of style-info

$extenpos=styleinfo("Extensions");

$trunkpos=styleinfo("Trunks");

#$parkingpos=styleinfo("Parking lots");

#$confepos=styleinfo("Conferences");

$queuepos=styleinfo("Queues");

```
CGH52A53>=0@8A>20BLA515@07;8=>20==CN:0@B8=:C
GB>1KC4>1=551K;>AG8B0BL?5@2CN8?>A;54=NN:=>?:C
:064>3>?@O<>C3>;L=8:0.>A;5:064>3>87<5=5=8O2
D09;5retrieve=04>53>70?CAB8BL,8?>B><?5@5703@C78BL$.
-B><>6=>A45;0BL=0?@8<5@87:><0=4=>9AB@>:8=094O
```

? @ > F 5 A A D > ?:

ps -ax | grep op_

? > : 0 6 5 B:

28142 ? S 0:11 /usr/bin/perl /var/www/html/panel/op_server.pl

3 > 2 > @ 8 < kill 28142 8 ? 0 = 5 ; L A 0 < 0 ? 5 @ 5 7 0 3 @ C 7 8 B A O. ! < > B @ 8 < G B >

? > ; C G 8 ; > A L 8 B 0 : 4 > B 5 E ? > @ ? > : 0 2 A 5 = 5 2 A B 0 = 5 B = 0 < 5 A B 0

: 0 : E > G 5 B A O...

Details

Info Sunday 14 March 2010 - 19:51:59 by

Vampyr`s House!