

Frequently Asked Questions

Question

? @ 0 2 ; 5 = 8 5 ? @ 8 = B 5 @ > < G 5 @ 5 7 : > < 0 = 4 = C N A B @ > : C

Answer

rundll32 printui.dll,PrintUIEntry [? 0 @ 0 < 5 B @ K]

0 ? @ 8 < 5 @ , 4 ; O 4 > 1 0 2 ; 5 = 8 O ? @ 8 = B 5 @ 0 HP DeskJet D1663,
? > 4 : ; N G 5 = = > 3 > : ? > @ B C LPT1 2 Windows, 2 > A ? > ; L 7 C 9 B 5 A L
A ; 5 4 C N I 5 9 : > < 0 = 4 > 9:

rundll32 printui.dll,PrintUIEntry /if /b "HP DeskJet D1663 " /f %windir%\inf\ntprint.inf /r "lpt1:" /m "HP DeskJet D1663 "

" 0 : 6 5 4 > A B C ? = K 8 @ 0 7 ; 8 G = K 5 ? 0 @ 0 < 5 B @ K:

· 0 ? C A : A 2 > 9 A B 2 A 5 @ 2 5 @ 0:

rundll32 printui.dll,PrintUIEntry /s /t1 /n\machine

· 0 ? C A : A 2 > 9 A B 2 ? @ 8 = B 5 @ 0:

rundll32 printui.dll,PrintUIEntry /p /n\machine\printer

· > : 0 ; L = K 9 7 0 ? C A : < 0 A B 5 @ 0 C A B 0 = > 2 : 8 ? @ 8 = B 5 @ > 2:

rundll32 printui.dll,PrintUIEntry /il

· 0 ? C A : < 0 A B 5 @ 0 C A B 0 = > 2 : 8 ? @ 8 = B 5 @ > 2 = 0 : > < ? L N B 5 @ 5
\machine:

rundll32 printui.dll,PrintUIEntry /il /c\machine

· 0 ? C A : ? > : 0 7 0 > G 5 @ 5 4 8:

rundll32 printui.dll,PrintUIEntry /o /n\machine\printer

· 0 ? C A : C A B 0 = > 2 : 8 A ? > < > I L N 8 = D > @ < 0 F 8 > = = > 3 > D 0 9 ; 0:

rundll32 printui.dll,PrintUIEntry /if /b "Test Printer" /f %windir%\inf\ntprint.inf /r "lpt1:" /m "AccuSet"

· 0 ? C A : < 0 A B 5 @ 0 C A B 0 = > 2 : 8 ? @ 8 = B 5 @ > 2 A ? > < > I L N
8 = D > @ < 0 F 8 > = = > 3 > D 0 9 ; 0:

rundll32 printui.dll,PrintUIEntry /ii /f %windir%\inf\ntprint.inf

· > 1 0 2 ; 5 = 8 5 ? > 4 : ; N G 5 = 8 9 : > < ? L N B 5 @ > 2 : ? @ 8 = B 5 @ C:

rundll32 printui.dll,PrintUIEntry /ga /c\machine /n\machine\printer /j"LanMan Print Services"

· # 4 0 ; 5 = 8 5 ? > 4 : ; N G 5 = 8 9 : > < ? L N B 5 @ > 2 : ? @ 8 = B 5 @ C:

rundll32 printui.dll,PrintUIEntry /gd /c\machine /n\machine\printer

· 5 @ 5 G 8 A ; 5 = 8 5 ? > 4 : ; N G 5 = 8 9 : > < ? L N B 5 @ > 2 : ? @ 8 = B 5 @ C:

rundll32 printui.dll,PrintUIEntry /ge /c\machine

· > 1 0 2 ; 5 = 8 5 4 @ 0 9 2 5 @ 0 ? @ 8 = B 5 @ 0 A ? > < > I L N
8 = D > @ < 0 F 8 > == > 3 > D 0 9 ; 0:

rundll32 printui.dll,PrintUIEntry /ia /c\machine /m "AGFA-AccuSet" /h "Intel" /v "Windows XP" /f %windir%\inf\ntprint.inf

· > 1 0 2 8 B L 4 @ 0 9 2 5 @ ? @ 8 = B 5 @ 0:

rundll32 printui.dll,PrintUIEntry /ia /K /c\machine /m "AGFA-AccuSet" /h "Windows x86" /v 3

· # 4 0 ; 5 = 8 5 4 @ 0 9 2 5 @ 0 ? @ 8 = B 5 @ 0:

rundll32 printui.dll,PrintUIEntry /dd /c\machine /m "AGFA-AccuSet" /h "Intel" /v "Windows XP"

· # 4 0 ; 8 B L 4 @ 0 9 2 5 @ ? @ 8 = B 5 @ 0:

rundll32 printui.dll,PrintUIEntry /dd /K /c\machine /m "AGFA-AccuSet" /h "Windows x86" /v 3

· 0 7 = 0 G 5 = 8 5 ? @ 8 = B 5 @ 0 8 A ? > ; L 7 C 5 < K < ? > C < > ; G 0 = 8 N:

rundll32 printui.dll,PrintUIEntry /y /n "printer"

· # : 0 7 0 = 8 5 > ? 8 A 0 = 8 0 ? @ 8 = B 5 @ 0:

rundll32 printui.dll,PrintUIEntry /Xs /n "printer" comment "My Cool Printer"

· > ; C G 5 = 8 5 ? 0 @ 0 < 5 B @ > 2 ? @ 8 = B 5 @ 0:

rundll32 printui.dll,PrintUIEntry /Xg /n "printer"

· > ; C G 5 = 8 5 ? 0 @ 0 < 5 B @ > 2 ? @ 8 = B 5 @ 0 8 7 0 ? 8 A L 8 E 2 D 0 9 ;:

rundll32 printui.dll,PrintUIEntry /f "results.txt" /Xg /n "printer"

· ! ? @ 0 2 : 0 > 1 C A B 0 = > 2 : 5 ? 0 @ 0 < 5 B @ > 2 ? @ 8 = B 5 @ 0:

rundll32 printui.dll,PrintUIEntry /Xs /n "printer" ?

· 0 ? 8 A L 2 A 5 E ? 0 @ 0 < 5 B @ > 2 ? @ 8 = B 5 @ 0 2 D 0 9 ;:

rundll32 printui.dll,PrintUIEntry /Ss /n "printer" /a "file.dat"

· > A A B 0 = > 2 ; 5 = 8 5 2 A 5 E ? 0 @ 0 < 5 B @ > 2 ? @ 8 = B 5 @ 0 8 7 D 0 9 ; 0:

rundll32 printui.dll,PrintUIEntry /Sr /n "printer" /a "file.dat"

· 0 ? 8 A L A 2 5 4 5 = 8 9 ? @ 8 = B 5 @ 0 C @ > 2 = O 2 2 D 0 9 ;:

rundll32 printui.dll,PrintUIEntry /Ss /n "printer" /a "file.dat" 2

· > A A B 0 = > 2 ; 5 = 8 5 4 5 A : @ 8 ? B > @ 0 1 5 7 > ? 0 A = > A B 8 8 7 D 0 9 ; 0:

rundll32 printui.dll,PrintUIEntry /Sr /n "printer" /a "file.dat" s

· > A A B 0 = > 2 ; 5 = 8 5 3 ; > 1 0 ; L = > 3 > devmode 8 4 0 = = K E ? @ 8 = B 5 @ 0
8 7 D 0 9 ; 0:

rundll32 printui.dll,PrintUIEntry /Sr /n "printer" /a "file.dat" g d

· > A A B 0 = > 2 ; 5 = 8 5 < 8 = 8 < 0 ; L = > 3 > = 0 1 > @ 0 ? 0 @ 0 < 5 B @ > 2 8 7
D 0 9 ; 0 8 @ 0 7 @ 5 H 5 = 8 5 8 < 5 = 8 ? > @ B 0:

rundll32 printui.dll,PrintUIEntry /Sr /n "printer" /a "file.dat" m p

I 5 > 4 = > 9 2 > 7 < > 6 = > A B L N O 2 ; O 5 B A O 8 A ? > ; L 7 > 2 0 = 8 5
: > < 0 = 4 K START:

start \\print_server\print_name

Details

Info Monday 16 January 2017 - 16:16:16 by vampyr
